

Subject :Information Technology

Standard: 12th Science

Chapter No.1 - Advanced web designing

Topic Name : Float and Display Property.

Float Property :

- Float is a CSS property written in CSS file or directly in the style of an element.
- The Float property defines the flow of content.
- Following are the types of floating properties:
 1. Float : left : This keeps the element float on left side of the container.
 2. Float : right : This keeps the element float on right side of the container.
 3. Float : none : This is default property i.e this shows the element as it is.

Example of Float Property :

- Let an image float to the left:

```
img {  
float: left;  
}
```

- Let an image float to the right:

```
img {  
float: right;  
}
```

- Let image be displayed just where it occurs in the text (float: none):

```
img {  
float: none;  
}
```

Display Property :

- The display property specifies the display behavior (the type of rendering box) of an element.
- In HTML, the default display property value is taken from the HTML specifications or from the browser/user default style sheet.
- Syntax :
 Display : value

Display property values :

1. **Inline** : It is used to display an element as an Inline element
2. **Block** : It is used to display an element as an Block element. It starts on a new line, and takes up the whole width of the browser window.
3. **Block-inline** : This value is very similar to inline element but the difference is that you are able to set the width and height.
4. **None** : The element is completely removed.

Example of Display Property :

- Use of some different display values:

ex1 {display: none;}

ex2 {display: inline;}

ex3 {display: block;}

ex4 {display: inline-block;}

Thank You.
